

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,153,021 B2

Page 1 of 1

APPLICATION NO. : 10/797,159

ISSUE DATE : Dec. 26, 2006

INVENTOR(S) : Goodwin et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2

Line 22, after "also" insert --be--

Column 4

Line 16, change "layer" to --layers--

Line 18, change "Once" to --One--

Column 5

Lines 16-17, change "end of the tube" to --ends of the tubes--

Column 6

Line 4, change "124" to --122--

Line 36, change "120" to --140--

Column 7

Line 1, change "as" to --at--

Column 9

Line 10, change "to" to --of--

Note

This certificate supersedes certificate of correction issued
July 31, 2007.

MAILING ADDRESS OF SENDER (Please do not use customer number)

Dana L. Tangren, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.